

CANADIAN JOURNAL OF RESEARCH


VOLUME 17

1939

SECTION C



Published by the
**NATIONAL
RESEARCH COUNCIL
of CANADA**



— I —

Section C

INDEX TO VOLUME 17

Authors

- Alty, T.**—Evaporation in agricultural meteorology, 1.
- Anderson, J. A.**—See Ayre, C. A., Sallans, H. R.
- Anderson, J. A., Ayre, C. A., and Meredith, W. O. S.**—Varietal differences in barleys and malts. V. Wort nitrogen and malt extract and their correlations with barley nitrogen fractions, 25.
- Ayre, C. A.**—See Anderson, J. A.
- Ayre, C. A. and Anderson, J. A.**—Varietal differences in barleys and malts. VI. Autolytic proteolytic activity of malt and its correlations with wort nitrogen and barley nitrogen fractions, 239.
- Bell, H. P. and McLellan, J. W.**—Bud development for the fruit-bearing spur of the Wagener apple, 339.
- Bier, J. E.**—Septoria canker of introduced and native hybrid poplars, 195.
- Bosher, J. E.**—See Hastings, R. J.
- Geddes, W. F.**—See Lehberg, F. H.
- Gibbs, R. D.**—Studies in tree physiology. I. General introduction. Water contents of certain Canadian trees, 460.
- Grace, N. H.**—Effects of cane sugar, ethyl mercuric phosphate, and indolylacetic acid in talc on the rooting of cuttings, 321.
Effects of plant and animal hormones on the rooting of dust- and solution-treated dormant stem cuttings, 305.
Effects of plant and animal hormones on seeds damaged by formaldehyde, 445.
Physiological activity of a series of indolyl acids, 373.
Physiological activity of a series of naphthyl acids, 247.
Responses of dormant cuttings of *Lonicera tartarica* to solutions of cane sugar and indolyl-acetic acid, 334.
Vegetative propagation of conifers.
I. Rooting of cuttings taken from the upper and lower regions of a Norway spruce tree, 178.
II. Effects of nutrient solution and phytohormone dusts on the rooting of Norway spruce cuttings, 312.
III. Effect of month of collection on the rooting of dormant Norway spruce cuttings, 376.
- Grace, N. H. and Thistle, M. W.**—Responses of dormant cuttings of *Lonicera tartarica* to solutions of indolylacetic acid and nutrient salts, 317.
- Graham, V. E. and Greenberg, L.**—The effect of salicylic aldehyde on the infection of wheat by *Pythium arrhenomanes* Drechsler, and the destruction of the aldehyde by *Actinomyces erythropolis* and *Penicillium* sp., 52.
- Gray, P. H. H.**—*Vibrio amylocella*, n. sp., a soil organism that decomposes cellulose and produces glucose from starch, 154.
- Gray, P. H. H. and Taylor, C. B.**—The aerobic decomposition of glucose in podsol soils, 109.
Microbiological studies of Appalachian podsol soils. IV. The decomposition of glucose in soil previously treated with amendments, 147.
- Greenberg, L.**—See Graham, V. E.

— II —

- Groves, J. W.**—Some *Pezicula* species and their conidial stages, 125.
- Hastings, R. J., Bosher, J. E., and Newton, W.**—Bulb nematode control in iris by hot water, 144.
- Hildebrand, A. A.**—Notes on mealy bug injury on strawberry and its resemblance to crinkle, 205.
- Hopkins, J. W.**—Agricultural meteorology: Some characteristics of wind in Alberta and Saskatchewan, 4.
- Comparative development of two wheat varieties under varying moisture supply, 87.
Estimation of leaf area in wheat from linear dimensions, 300.
- Ignatieff, V.**—See Newton, J. D.
- James, N. and Sutherland, M. L.**—The accuracy of the plating method for estimating the numbers of bacteria and fungi from one dilution and from one aliquot of a laboratory sample of soil, 97.
- The accuracy of the plating method for estimating the numbers of soil bacteria, actinomycetes, and fungi in the dilution plated, 72.
- Johnson, L. P. V.**—A descriptive list of natural and artificial interspecific hybrids in North American forest-tree genera, 411.
- Johnson, L. P. V. and McLennan, H. A.**—An attempt to hybridize annual and perennial *Avena* species, 35.
- Johnson, T.**—See Newton, M.
- Kenway, C. B. and Peto, H. B.**—Researches on drought resistance in spring wheat. I. A machine for measuring the resistance of plants to artificial drought, 294.
- Ledingham, G. A.**—Studies on *Polymyxa graminis*, n. gen. n. sp., a plasmodiophoraceous root parasite of wheat, 38.
- Lehberg, F. H., McGregor, W. G., and Geddes, W. F.**—Flax studies. IV. The physical and chemical characteristics of flaxseed at progressive stages of maturity, 181.
- McCaig, J. D.**—See McCalla, A. G.
- McCalla, A. G., McCaig, J. D., and Paul, A. D.**—Effect of various conditions of storage on baking quality of flour, 452.
- McCalla, A. G., Weir, J. R., and Neatby, K. W.**—Effects of temperature and sunlight on the rate of elongation of stems of maize and gladiolus, 388.
- McGregor, W. G.**—See Lehberg, F. H.
- McLellan, J. W.**—See Bell, H. P.
- McLennan, H. A.**—See Johnson, L. P. V.
- Malloch, J. G.**—See Newton, R.
- Meredith, W. O. S.**—See Anderson, J. A.
- Neatby, K. W.**—See McCalla, A. G.
- Newton, J. D., Wyatt, F. A., Ignatieff, V., and Ward, A. S.**—Nitrification under and after alfalfa, brome, timothy, and western rye grass. II. Soil microbiological activity, 256.
- Newton, M.**—See Peturson, B.
- Newton, M. and Johnson, T.**—A mutation for pathogenicity in *Puccinia graminis Tritici*, 297.
- Newton, R., Young, R. S., and Malloch, J. G.**—Nitrification under and after alfalfa, brome, timothy, and western rye grass. I. Nitrogen absorption of hay crops and succeeding wheat crops, 212.
- Newton, W.**—See Hastings, R. J.

— III —

Okulitch, O.—Microbic dissociation of lactic acid streptococci, 171.

Paul, A. D.—See McCalla, A. G.

Peto, H. B.—See Kenway, C. B.

Peturson, B. and Newton, M.—The effect of leaf rust on the yield and quality of Thatcher and Renown wheat in 1938, 380.

Sallans, H. R. and Anderson, J. A.—Observations on the study of varietal differences in the malting quality of barley. Part IV, 57.

Varietal differences in barleys and malts. VII. Starch-liquefying activity, autolytic diastatic activity and their correlations with saccharifying and proteolytic activity, 361.

Sutherland, M. L.—See James, N.

Taylor, C. B.—See Gray, P. H. H.

Thistle, M. W.—See Grace, N. H.

Thompson, G. E.—A leaf blight of *Populus tacamahaca* Mill., caused by an undescribed species of *Linospora*, 232.

Ward, A. S.—See Newton, J. D.

Weir, J. R.—See McCalla, A. G.

Wyatt, F. A.—See Newton, J. D.

Young, R. S.—See Newton, R.

Section C

INDEX TO VOLUME 17

Subjects

- Abies**, Interspecific hybrids of, 414.
- Acer**, Interspecific hybrids of, 414.
- Acidity of stored flour**, 456.
- Actinomycetes**
Accuracy of plating method for estimating numbers of, 72.
Number of, in podsol soil, 148.
- Actinomycetes erythropolis**, Destruction of salicylic aldehyde in soil by, 55.
- Aesculus**, Interspecific hybrids of, 414.
- Agricultural meteorology**, See Meteorology, Agricultural.
- Agropyron tenerum**, See Western rye grass.
- Air temperature**, Relation between rate of evaporation of water and, 2.
- Alfalfa**, Nitrification under and after, 212, 256.
- Alnus**, Interspecific hybrids of, 414.
- Amelanchier** sp., host of *Pezicula pruinosa*, 134.
- Amino acids** as nitrogen source in culture medium, 159.
- Ammonium chloride**, Effect of, on diastatic activity of *Vibrio amylocella*, 159.
- Appalachian upland podsol soils**, Microbiological studies of, IV. The decomposition of glucose in soils previously treated with amendments, 147.
- Apple**, Wagener, Bud development for the fruit-bearing spur of the, 339.
- Arbutus**, Interspecific hybrids of, 414.
- Aspen poplar**, See *Populus tremuloides*.
- Aspergillus oryzae**, Starch hydrolysis by, 166.
- Avena species**, An attempt to hybridize annual and perennial, 35.
- Bacillus ruminatus**, Starch hydrolysis by, 166.
- Bacteria**
Activity of nitrifying, in treated podsol soil, 150.
Distribution of fungi and, in soil profile layers, 281.
Number of, in treated podsol soil, 148.
Numbers in podsol soil, 117.
Plating method for estimating numbers of, in soil, 97.
Soil, Accuracy of plating method for estimating numbers of, 72.
- Baking quality of flour**, Effect of various conditions of storage on, 452.
- Baking tests on**
flour stored under various conditions, 454.
Thatcher and Renown wheat flour, 384.
wheat flour and relation to nitrogen content, 227.
- Barley**, Varietal differences in the malting quality of, Part IV, 57.
- Barley nitrogen fractions**
Relations between malt extract and, 28.
Relations between wort nitrogen and, 26.
- Barleys and malts**, Varietal differences in
V. Wort nitrogen and malt extract and their correlations with barley nitrogen fractions, 25.
VI. Autolytic proteolytic activity of malt and its correlations with wort nitrogen and barley nitrogen fractions, 239.
VII. Starch-liquefying activity, autolytic diastatic activity and their correlations with saccharifying and proteolytic activity, 361.
- Betula**, Interspecific hybrids of, 414.
- Betula alba**
v. *papyrifera*, Water content of, 463.
v. *pendula laciniata*, Water content of, 464.
- Betula populifolia**, Water content of, 467.
- Birch**
Field, See *Betula populifolia*.
Paper, See *Betula alba*.
White, See *Betula alba*.
- Brome**, Nitrification under and after, 212, 256.
- Bromus inermis**, See *Brome*.

— V —

- Bud development** for the fruit-bearing spur of the Wagener apple, 339.
- Bulb nematode control** in iris by hot water, 144.
- Calcium carbonate**, Effect of, on viability of *Vibrio amylocella*, 160.
- Cane sugar**
Responses of dormant cuttings of *Lonicera tartarica* to solutions of indolylacetic acid and, 334.
Results of treatment with dust containing, on
 Coleus Blumei, 325.
 Iresine Lindeni, 325.
 Lonicera tartarica, 330.
 Physocarpus opulifolius, 328.
- Canker** on poplars caused by *Septoria musiva*, 195.
- Carbohydrates** decomposed by *Vibrio amylocella*, 168.
- Carbon dioxide**
Evolution of, from glucose in soil, 112, 151.
Production of, by *Vibrio amylocella*, 161.
- Carpinus caroliniana**, host of *Pezicula carpinea*, 131.
- Carya**, Interspecific hybrids cf, 416.
- Castanea**, Interspecific hybrids of, 416.
- Catalpa**, Interspecific hybrids of, 418.
- Cellulose** decomposed by a soil organism, *Vibrio amylocella*, 154.
- "**Chinook machine**" for tests in research on drought resistance, 294.
- Coleus Blumei cuttings**
treated in solutions of chemicals, 251.
treated with dusts containing cane sugar, ethyl mercuric phosphate, and indolyl-acetic acid, 322.
- Conidia of**
Pezicula sp., 135.
Septoria musiva, 200.
- Conifers, Vegetative propagation of,**
I. Rooting of cuttings taken from the upper and lower regions of a Norway spruce tree, 178.
II. Effects of nutrient solution and phyto-hormone dusts on the rooting of Norway spruce cuttings, 312.
III. Effect of month of collection on the rooting of dormant Norway spruce cuttings, 376.
- Cornus**
alba, Responses of dormant cuttings of, to dust treatments with plant and animal hormones, 305.
Interspecific hybrids of, 418.
species as host of *Pezicula Corni*, 136.
- Crataegus**, Interspecific hybrids of, 418.
- Crinkle**, Mealy bug injury on strawberry and its resemblance to, 205.
- Cryptosporiopsis**
cornina, the conidial stage of *Pezicula Corni*, 137.
fasciculata, the conidial stage of *Pezicula carpinea*, 132.
species, the conidial stage of *Pezicula Hamamelidis*, 142.
- Cypressus**, Interspecific hybrids of, 418.
- Cytospora chrysosperma** attacking dead trees and cankered areas of poplars, 198.
- Diastatic activity** of
barley varieties, 61.
malts, Autolytic, 363.
Vibrio amylocella, 159.
- Dermatea** sp., Resemblance of, to *Pezicula* sp., 126.
- Discosporiella phaeosora**, the conidial stage of *Pezicula Rubi*, 139.
- Drought resistance** in spring wheat, Researches on, I. A machine for measuring the resistance of plants to artificial drought, 294.
- Enzymatic activity** of barleys and malts, 367.
- Enzyme**, Activity of, in *Vibrio amylocella*, 164.
- Ethyl mercuric phosphate**, Results of treatment with dust containing, on
 Coleus Blumei, 325.
 Iresine Lindeni, 325.
 Lonicera tartarica, 330.
 Physocarpus opulifolius, 328.
- Evaporation** in agricultural meteorology, 1.
- Flaxseed**, Physical and chemical properties of, at various stages of maturity, 186.
- Flax studies.** IV. The physical and chemical characteristics of flaxseed at progressive stages of maturity, 181.
- Flour**, Effect of various conditions of storage on baking quality of, 452.
- Formaldehyde**, Effects of plant and animal hormones on seeds damaged by, 445.

— VI —

- Fragaria virginiana**, Mealy bugs on, 207.
- Fungi**
- Accuracy of plating method for estimating numbers of, 72.
 - Distribution of bacteria and, in the soil profile layers, 281.
 - Number of, in treated podsol soil, 148.
 - Numbers in podsol soil, 117.
 - Perfect and imperfect stages of, 125.
 - Plating method for estimating numbers of, in soil, 97.
- Fungus**
- attacking *Populus tacamahaca*, 236.
 - on poplars, *Septoria musiva*, 195.
- Germination time** of barley varieties, 67.
- Gladiolus**, Effects of temperature and sunlight on the rate of elongation of stems of, 388.
- Gleditsia**, Interspecific hybrids of, 418.
- Glucose**
- Decomposition of, in soils previously treated with amendments, 150.
 - formed from starch by action of a soil organism, *Vibrio amylocella*, 163.
 - in podsol soils, Aerobic decomposition of, 109.
- Glycine**, Effect of, on decomposition of glucose in soil, 120.
- Hamamelis virginiana**, host of *Pezicula Hamamelidis*, 141.
- Hardwoods**, Weight and density of freshly cut, 476.
- Hay crops**, Yield and nitrogen absorption of, 215.
- Hemlock**, See *Tsuga canadensis*.
- Hormone**
- and nutrient solutions, Response of *Lonicera tartarica* to, 319.
 - dust treatments, Effect of, on Norway spruce cuttings, 315.
 - treatment in propagation of cuttings from Norway spruce tree, 179.
- Hormones**
- Plant, Activity of a series of naphthyl acids as, 247.
 - Plant and animal
 - Effects on the rooting of dust- and solution-treated dormant stem cuttings, 305.
 - Effects on seeds damaged by formaldehyde, 445.
- Humidity**, Relative, Relation to growth of gladiolus of, 395.
- Hybridization** of annual and perennial *Avena* species, 35.
- Hybrids** in North American forest-tree genera, Descriptive list of natural and artificial interspecific, 411.
- Hydrogen ion concentration** of treated podsol soil, 149.
- Ilex**, Interspecific hybrids of, 418.
- Indolylacetic acid**
- Effect on damaged wheat, 450.
 - Effect on rooting of Norway spruce cuttings, 179.
 - Plant cuttings treated in solutions of, 248.
 - Response of Norway spruce cuttings to treatment with dusts containing, 377.
 - Responses of dormant cuttings of *Lonicera tartarica* to solutions of cane sugar and, 334.
 - Responses of dormant cuttings of *Lonicera tartarica* to solutions of, 317.
 - Results of treatment with dusts containing, on
 - Coleus Blumei*, 325.
 - Iresine Lindeni*, 325.
 - Lonicera tartarica*, 329.
 - Physocarpus opulifolius*, 328.
 - used in propagation of cuttings from Norway spruce tree, 179.
- Indolyl acids**, Physiological activity of a series of, 373.
- Indolylbutyric acid**, Effect of, on dormant cuttings of plants, 307.
- Iodine value** of flaxseed oil, 186.
- Iris**, Bulb nematode control in, by hot water, 144.
- Iresine Lindeni** cuttings treated with dusts containing cane sugar, ethyl mercuric phosphate, and indolylacetic acid, Responses of, 322.
- Juglans**, Interspecific hybrids of, 418.
- Lactic acid streptococci**, Microbic dissociation of, 171.
- Larix**
- europaea*, Water content of, 480.
 - Interspecific hybrids of, 420.
 - laricina*, Water content of, 480.
- Leaf area** in wheat, Estimation of, 300.
- Leaf blight** of *Populus tacamahaca* Mill., caused by an undescribed species of *Linospora*, 232.

— VII —

- Leaf canker** of poplars, 199.
Limestone amendment to podsol soil, 149.
Linospora tetraspora causing foliage disease of *Populus tacamahaca*, 236.
Lonicera tartarica cuttings, Responses of, to dust treatment with plant and animal hormones, 307.
a series of indolyl acids, 373.
solutions of cane sugar and indolylacetic acid, 334.
solutions of indolylacetic acid and nutrient salts, 317.
treatment with dusts containing cane sugar, ethyl mercuric phosphate, and indolyl-acid, 322.
treatment with solutions of chemicals, 253.
- Lutescens** and Reward × Caesium, Comparative development of, under varying moisture supply, 87.
- Magnolia**, Interspecific hybrids of, 420.
- Maize**, Effects of temperature and sunlight on the rate of elongation of stems of, 388.
- Malt**, Autolytic proteolytic activity of, and its correlations with wort nitrogen and barley nitrogen fractions, 239.
- Malt extract**
of barley varieties, 64.
Relations between barley nitrogen fractions and, 28.
- Malting quality of barley**, Varietal differences in the, Part IV, 57.
- Malts, Varietal differences in barleys and V.** Wort nitrogen and malt extract and their correlations with barley nitrogen fractions, 25.
- VII. Starch-liquefying activity, autolytic diastatic activity and their correlations with saccharifying and proteolytic activity**, 361.
- Mealy bug injury** on strawberry, 205.
- Medicago sativa**, See Alfalfa.
- Meteorology, Agricultural**
Evaporation in, 1.
Some characteristics of winds in Alberta and Saskatchewan, 4.
- Micro-organisms**
Number of, in treated soil, 148.
Seasonal fluctuations in moisture and numbers of, in soil, 275.
Soil, Decomposition of glucose in podsol soils by, 109.
Starch-hydrolyzing, compared with *Vibrio amylocella*, 166.
- Milling tests** on Thatcher and Renown wheat, 384.
- Moisture in soil**
Seasonal fluctuations of nitrate nitrogen and, 260.
Seasonal fluctuations in numbers of micro-organisms and, 275.
- Morphology of bud development** for Wagener apples, 341.
- Mutation** for pathogenicity in rust, 297.
- Myxamoeba** of *Polymyxa graminis*, 46.
- Naphthalacetic acid**, Effect of, on damaged wheat, 446.
- Naphthyl acids**, Physiological activity of a series of, on cuttings of Coleus Blumei, 251.
- Lonicera tartarica*, 253.
- Viburnum Opulus*, 249.
- Nematode**, Bulb, Control of, in iris by hot water, 144.
- Nitrate nitrogen** and moisture in soil, Seasonal fluctuations of, 260.
- Nitrification**
by bacteria in treated soil, 149.
of soil, 259.
- Nitrification under and after alfalfa, brome, timothy, and western rye grass**.
- I. Nitrogen absorption of hay crops and succeeding wheat crops, 212.
II. Soil microbiological activity, 256.
- Nitrogen**
absorption of hay crops and succeeding wheat crops, 215.
Effect of nitrate, on glucose decomposition in soil, 112.
in culture medium for soil organisms, 158.
Wort, of barley varieties, 62.
- Nitrogen content of flaxseed**, 191.
wheat grown under varying moisture supply, 95.
- Nitrogen fractions**
of wort and barley correlated with proteolytic activity of malt, 239.
Relations between wort nitrogen and barley, 26.
- Norway spruce cuttings**
Effect of month of collection on the rooting of dormant, 376.
Effects of nutrient solution and phytohormone dusts on the rooting of, 312.

— VIII —

- Nutrient salts**, Responses of dormant cuttings of *Lonicera tartarica* to solutions of, 317.
- Nutrient solutions**, Responses of Norway spruce cuttings treated with, 315.
- Oestriol**, Effect of, on damaged wheat, 446.
- Oestrone**, Effect of, on dormant cuttings of plants, 307.
- Oil content of flaxseed**, 185.
- Ophiobolus graminis**, 214.
- Parasite of wheat**, *Polymyxa graminis*, n. gen. n. sp., a plasmodiophoraceous root, 38.
- Pathogenicity in *Puccinia graminis* Tritici**, A mutation for, 297.
- Penicillium** sp., Destruction of salicylic aldehyde in the soil by, 52.
- Pezicula**
carpinea and its conidial stage *Cryptosporiopsis fasciculata*, 126.
Corni and its conidial stage *Cryptosporiopsis cornina*, 135.
Hamamelidis sp. nov. and its conidial stage, a *Cryptosporiopsis* species, 140.
pruinosa and its conidial stage *Sphaeroparma pruinosa*, 133.
Rubi and its conidial stage *Discosporiella phaeosora*, 137.
species and their conidial stages, 125.
- Phenological data of some Canadian trees in spring**, 472.
- Phleum pratense**, See Timothy.
- Phosphorus**, Water-soluble, in soil, 271.
- Physocarpus opulifolius cuttings** treated with dusts containing cane sugar, ethyl mercuric phosphate, and indolyacetic acid, Responses of, 322.
- Phytohormone dusts**, Response of Norway spruce cuttings to, 314.
- Picea**
excelsa, Rooting of cuttings from upper and lower regions of, 179.
Interspecific hybrids of, 420.
- Pinus**
Interspecific hybrids of, 420.
ponderosa, Water content of, 480.
strobos, Water content of, 480.
- Plant hormones**, Activity of a series of naphthyl acids as, 247.
- Plasmiodiphora brassicae**, Comparison of flagellation with *Polymyxa graminis*, 43.
- Platanus**, Interspecific hybrids of, 422.
- Plating method** for estimating the numbers of bacteria and fungi in soil, Accuracy of, 97.
- the numbers of soil bacteria, actinomycetes, and fungi in the dilution plated, Accuracy of, 72.
- Podsol soils**
Aerobic decomposition of glucose in, 109.
Microbiological studies of Appalachian, 147.
- Pollination**, Cross, of annual with perennial *Avena* species, 35.
- Polymyxa graminis**, n. gen. n. sp., a plasmodiophoraceous root parasite of wheat, 38.
- Poplars**
Russian, Canker of, 196.
Septoria canker of introduced and native hybrid, 195.
- Populus**
balsamifera inoculated with *Septoria musiva*, 201.
berolinensis as a host for *Septoria musiva*, 201.
Interspecific hybrids of, 422.
Petrowskyana as a host for *Septoria musiva*, 196.
species as hosts of *Septoria musiva*, 200.
Rasumowskyana as a host for *Septoria musiva*, 196.
tacamahaca
Leaf blight of, caused by an undescribed species of *Linospora*, 232.
inoculated with *Septoria musiva*, 201.
tremuloides, Water content of, 465.
- Potassium nitrate**, Glucose production by *Vibrio amylocella* in presence of, 161.
- Protein content of Marquis wheat**, 226.
- Proteolytic activity of samples of malt** determined by an autolytic method, 239.
- Pseudococcus** sp. parasitic on strawberry, 209.
- Pseudotsuga mucronata**, Water content of, 480.
- Puccinia**
graminis Tritici, A mutation for pathogenicity in, 297.
graminis triticina Erikss., Effect of, on the yield and quality of Thatcher and Renown wheat in 1938, 380.
- Pythium arrhenomanes Drechsler**, Effect of salicylic aldehyde on the infection of wheat by, 52.

— IX —

- Quercus**, Interspecific hybrids of, 430.
- Reward × Caesium and Lutescens**, Comparative development of, under varying moisture supply, 87.
- Ribes odoratum**, Responses of dormant cuttings of, to dust treatment with plant and animal hormones, 308.
- treatment with solutions of indolylbutyric acid and oestrone, 309.
- Robinia**, Interspecific hybrids of, 434.
- Root parasite of wheat**, *Polymyxa graminis*, n. gen. n. sp., 38.
- Rubus** sp., host of *Pezicula Rubi*, 138.
- Rust**
Leaf, Effect of, on the yield and quality of Thatcher and Renown wheat in 1938, 380.
Puccinia graminis Tritici, 297.
- Saccharifying activity** of malts, 365.
- Salicylic aldehyde**
as a predisposing factor to *Pythium* damage, 53.
Organisms capable of decomposing, 54.
- Salix**, Interspecific hybrids of, 434.
- Salts**, Nutrient, Responses of dormant cuttings of *Lonicera tartarica* to solutions of, 317.
- Sapwood**, Water content of, 481.
- Septoria**
canker of introduced and native hybrid poplars, 195.
musiva causing canker on poplars, 199.
- Sodium carbonate amendment** to podsol soil, 149.
- Soil(s)**
Aerobic decomposition of glucose in podsol, 109.
Microbiological activity of, 256.
Microbiological studies of Appalachian podsol. IV. The decomposition of glucose in soils previously treated with amendments, 147.
organism, *Vibrio amylocella*, that decomposes cellulose and produces glucose from starch, 154.
Phosphorus in, 270.
Plating method for estimating numbers of bacteria and fungi in, 97.
Quality of wheats grown on podsolic and black loam, 453.
- Sphaeronomema pruinosa**, the conidial stage of *Pezicula pruinosa*, 134.
- Spiraea Vanhouttei**, Responses of dormant cuttings of, to dust treatment with plant and animal hormones, 308.
- Spongosporea subterranea**, Comparison of flagellation with *Polymyxa graminis*, 43.
- Spruce cuttings**, See Norway spruce cuttings.
- Starch**
Glucose formed from, by a soil organism, *Vibrio amylocella*, 163.
liquefying activity of malts, 363.
- Stem canker** of poplars, 197.
- Storage of flour**, Effect on baking quality of, 452.
- Strawberry**, Mealy bug injury on, and its resemblance to Crinkle, 205.
- Streptococci**, Lactic acid, Microbic dissociation of, 171.
- Streptococcus**
cremoris, Dissociation of, in the presence of glucose, 174.
lactis, Dissociation of, in the presence of glucose, 175.
- Sugar, Cane**, See Cane sugar.
- Sunlight**, Effect of, on the rate of elongation of stems of maize and gladiolus, 388.
- Taxus**, Interspecific hybrids of, 436.
- Temperature**
Air, Relation between rate of evaporation of water and, 2.
and sunlight, Effect of, on the rate of elongation of stems of maize and gladiolus, 388.
Daily, and wind mileage, 22.
Effect of, on quality of stored flour, 454.
Effect of, on survival of bulb nematodes, 145.
Germination, of barley varieties, 67.
- Tilia**, Interspecific hybrids of, 436.
- Timothy**, Nitrification under and after, 212, 256.
- Tree genera**, Natural and artificial interspecific hybrids in forest-, 411.
- Tree physiology**, Studies in. I. Water contents of certain Canadian trees, 460.
- Tsuga**
canadensis, Water content of, 478.
Interspecific hybrids of, 438.
- Ulmus**, Interspecific hybrids of, 438.

Vegetative propagation of conifers

- I. Rooting of cuttings taken from the upper and lower regions of a Norway spruce tree, 178.
- II. Effects of nutrient solution and phyto-hormone dusts on rooting of Norway spruce cuttings, 312.
- III. Effect of month of collection on the rooting of dormant Norway spruce cuttings, 376.

Vibrio amylocella n. sp., a soil organism that decomposes cellulose and produces glucose from starch, 154.

Viburnum Opulus cuttings treated in solutions of chemicals, 249.

Wagener apple, Bud development for the fruit-bearing spur of the, 339.

Water contents of certain Canadian trees, 460.

Western rye grass, Nitrification under and after, 212, 256.

Wheat

- Effect of hormones on damaged, 445.
- Effect of salicylic aldehyde on the infection of, by *Pythium armenianum* Drechsler, and the destruction of the aldehyde by *Actinomyces erythropolis* and *Penicillium* sp., 52.
- Effects of temperature and sunlight on growth of maize, gladiolus and, 391.
- Estimation of leaf area in, 300.
- Germination of formaldehyde-damaged, 446.

Wheat—continued.

- grades and protein content, 228.
- Nitrification under, 221, 256.
- Polymyxa graminis*, n. gen. n. sp., a plasmopiporaceous root parasite of, 38.
- Protein content of Marquis, 226.
- Qualities of flour from Garnet, Marquis, Red Bobs, and Reward, 453.
- Spring, Drought resistance in, 294.
- Thatcher and Renown in 1938, Effect of leaf rust on yield and quality of, 380.
- Yield and nitrogen absorption of, 221.

Wheat varieties

- Comparative development of two, under varying moisture supply, 87.
- infected by rust, 298.

Wind mileage, Relation between daily temperature and, 22.

Winds


- Diurnal variation in, in Alberta and Saskatchewan, 11.
- in Alberta and Saskatchewan, Some characteristics, 4.

Wort nitrogen

- and proteolytic activity of malt, 245.
- of barley varieties, 62.
- Relations between barley nitrogen fractions and, 26.

Zoosporangium, Development of, in *Polymyxa graminis*, 40.





CANADIAN JOURNAL OF RESEARCH

VOLUME 17

1939

SECTION D



Published by the
**NATIONAL
RESEARCH COUNCIL
of CANADA**



— I —

Section D

INDEX TO VOLUME 17

Authors

- Baker, F. C.**—Land and freshwater mollusca from western Ontario, 87.
- Bowstead, J. E. and Sackville, J. P.**—Studies with a deficient ration for sheep. I. Effect of various supplements. II. Effect of a cobalt supplement, 15.
- Cameron, T. W. M.**—Investigations on Trichinosis in Canada. II. A further survey of the incidence of *Trichinella spiralis* in hogs in eastern Canada, 151.
- Studies on the endoparasitic fauna of Trinidad mammals. VI. Parasites of Edentates, 249.
- Fraser, C. M.**—Hydroids of the western Canadian Arctic region, 1935-1937, 59.
- Froman, D. K.**—See Swales, W. E.
- Garrard, E. H. and Lochhead, A. G.**—A study of bacteria contaminating sides for Wiltshire bacon with special consideration of their behaviour in concentrated salt solutions, 45.
- Griffiths, H. J.**—Observations on the bionomics of ova and miracidia of *Fasciola hepatica* Linn., in eastern Canada, 205.
- Gwatkin, R.**—See Hadwen, S.
- Hadwen, S. and Gwatkin, R.**—The detection of abnormal cow's milk by microscopic methods, 225.
- Hart, J. F. L.**—Cumacea and Decapoda of the western Canadian Arctic region, 1936-1937, 62.
- Hastings, R. J.**—The biology of the meadow nematode *Pratylenchus pratensis* (de Man) Filipjev 1936, 39.
- Honeyman, A. J. M.**—Lacustrine investigations in the Gaspé peninsula, 212.
- Komarov, S. A.**—See Langstroth, G. O.
- Komarov, S. A., Langstroth, G. O., and McRae, D. R.**—The secretion of crystalloids and protein material by the pancreas in response to secretin administration, 113.
- Langstroth, G. O.**—See Komarov, S. A.
- Langstroth, G. O., McRae, D. R., and Komarov, S. A.**—The synthesis and secretion of protein material by the pancreas, 137.
- Lochhead, A. G.**—See Garrard, E. H.
- Lyster, L. L.**—Parasites of freshwater fish. I. Internal trematodes of commercial fish in the central St. Lawrence watershed, 154.
- McRae, D. R.**—See Komarov, S. A., Langstroth, G. O.
- Munro, J. A.**—Food of ducks and coots of Swan Lake, British Columbia, 178.
- Parnell, I. W.**—Studies on the bionomics and control of the bursate nematodes of horses and sheep.
- VI. On the lethal effects of some nitrogenous chemicals on the free-living stages of Sclerostomes, 68.
- VII. The effect of some substances, used in the control of farm and household pests, on the free-living stages of Sclerostomes, 187.

— II —

Sackville, J. P.—See Bowstead, J. E.

Selye, H.—Some blood chemical changes during recovery from exhaustive muscular exercise, 109.

Swales, W. E. and Froman, D. K.—An apparatus for measuring the "flash" thermal death point of microscopic animal organisms and its use with ova of *Ascaris lumbricoides*, 169.

Timonin, M. I.—Pathogenicity of *Beauveria Bassiana* (Bals.) Vuill. on Colorado potato beetle larvae, 103.

White, W. H.—Determination of nitrite, nitrate, and chloride in cured meat and curing pickle, 125.

Winkler, C. A.—Colour of meat.

I. Apparatus for its measurement, and relation between pH and colour, 1.

II. Effect of desiccation on the colour of cured pork, 29.

Dew-point hygrometer for use at low temperatures, 35.

Tenderness of meat. I. A recording apparatus for its estimation, and relation between pH and tenderness, 8.

— III —

Section D

INDEX TO VOLUME 17

Subjects

- Acanthocheilonema** sp., 251.
Acetodextra amiura, 163.
Acipenser fulvescens as host of trematodes, 167.
Alfalfa
ash supplement, Effect on sheep of, 23.
hay and oats ration, Effect on sheep of, 24.
meal supplement, Effect on sheep of, 23.
Ambloplites rupestris as host of trematodes, 167.
Ameirus nebulosus as host of trematodes, 167.
American Coot, Food of, 182.
American Pintail, Food of, 182.
Ammonium carbonate, Effect of, on the free-living stages of Sclerostomes, 77.
Ammonium chloride, Effect of, on the free-living stages of Sclerostomes, 77.
Ammonium nitrate, Effect of, on the free-living stages of Sclerostomes, 82.
Ammonium sulphide, Effect of, on the free-living stages of Sclerostomes, 84.
Amnicola, 91.
Anas platyrhynchos, See Mallard, Common.
Anguilla rostrata as host of trematodes, 167.
Anguispira, 100.
Aniline, Effect of, on the free-living stages of Sclerostomes, 70.
Animal organism, An apparatus for measuring the "flash" thermal death point of microscopic, 169.
Anodontia, 88.
Anodontoides, 89.
Anteater
Lesser, See *Tamandua longicaudata*.
Silky, Parasites of the, 249.
Aplexa, 99.
Arctic region, Western Canadian
Cumacea and Decapoda of the, 62.
Hydroids of the, 59.
Argis dentata, 66.
Armadillo, Parasites of the, 249.
Ascaris lumbricoides, Single-celled ova of, "Flash" thermal death point of, 173.
Aspidodera binansata, 253.
Azygia longa, 165.
Bacillus coli in milk, 238.
Bacon, Wiltshire, Bacteria contaminating sides for, 45.
Bacteria
contaminating sides for Wiltshire bacon
Classification of types of, 49.
Effect of concentrated salt solutions on, 45.
Nitrate-reducing, in pickling brine, 54.
Beauveria Bassiana, Pathogenicity of, on Colorado potato beetle larvae, 103.
Bicarbonate in pancreatic juice, 116.
Blood
chemical changes during recovery from exhaustive muscular exercise, 109.
chloride values of rats after exhaustive muscular exercise, 110.
corpuscle concentration in rats after exhaustive muscular exercise, 111.
corpuscles, Red, in milk, 241.
sugar values of rats after exhaustive muscular exercise, 110.
Bonneviella gracilis n. sp., 59.
Brachydiastylys
nimia, 65.
resima, 65.
Bradyponstongylus inflatus, 258.
Breed method of counting leucocytes in milk, 228.
Bucephalopsis pusilla, 154.
Buffle-head Duck, Food of, 182.
Bulimnea, 93.
Bunodera sacculata, 161.
Calcium
in pancreatic juice, 116.
supplement, Effect on sheep of, 21.

— IV —

- Calcium cyanide**, Effect of, on the free-living stages of Sclerostomes, 74.
- Calcium phosphate** deposits in milk, 241.
- Calculi**, Calcium phosphate, in milk, 242.
- Calycella syringa**, 59.
- Campeloma**, 91.
- Campylaspis**
costata, 63.
rubicunda, 63.
- Canvas-back Duck**, 182.
- Carbon dioxide** concentration in Ross Lake, 220.
- Carbon monoxide**, Effect of, on Sclerostomes in faeces, 203.
- Carbon tetrachloride**, Lethal effect of, on Sclerostomes in faeces, 200.
- Carex**, Sedges, as food of ducks and coots, 185.
- Centrovarium lobotes**, 161.
- Chara**, Musk-grass
as food of ducks and coots, 185.
Occurrence of, in Ross Lake, 222.
- Charitonetta albeola**, See Buffle-head Duck.
- Chaulelasmus streperus**, See Gadwall Duck.
- Chloride**
Determination of, in
cured meat, 134.
curing pickle, 135.
in pancreatic juice, 116.
- Chloroform**, Effect of, on Sclerostomes in faeces, 200.
- Chloropicrin**, Effect of, on the free-living stages of Sclerostomes, 70.
- Cinnamon Teal**, Food of, 182.
- Clangula hyemalis**, See Old-squaw Duck.
- Clinostomum complanatum**, 164.
- Cobalt supplement**, Effect on sheep of, 24.
- Cochlicopa**, 101.
- Cod liver oil supplement**, Effect on sheep of, 22.
- Colorado potato beetle larvae**, Pathogenicity of Beauveria Bassiana on, 103.
- Colorimeter**, Photoelectric, used in determination of nitrite and nitrate in cured meat and curing pickle, 128.
- Colostrum**, Microscopic appearance of, 242.
- Colour comparator** to compare meat samples, 2.
- Colour of meat**
I. Apparatus for its measurement, and relation between pH and colour, 1.
II. Effect of desiccation on the colour of cured pork, 29.
Relation to pH, in mutton, pork, and beef, 4.
- Columella**, 101.
- Coots** at Swan Lake, B.C., Food of, 178.
- Copper supplement**, Effect on sheep of, 22.
- Corynebacterium bovis** infection in milk, 232.
- Cow's milk**
Definition of normal, 230.
Detection of abnormal, by microscopic methods, 225.
- Crepidostomum**
brevivitellum, 160.
cooperi, 158.
cornutum, 157.
ictaluri, 158.
lintoni, 157.
- Cumacea** of the Western Canadian Arctic region, 1936-1937, 62.
- Cumella carinata**, 64.
- Cupric nitrate**, Effect of, on the free-living stages of Sclerostomes, 80.
- Cyclopes pygmaeus**, See Anteater, Silky.
- Cyprinus carpio**, 154.
- Dafila acuta tzitzioha**, See American Pin-tail.
- Death point**, "Flash" thermal, Apparatus for measuring the, of microscopic animal organisms, 169.
- Decapoda** of the Western Canadian Arctic region, 1936-1937, 62.
- Delicata pseudoappendiculata** sp. nov., 257.
- Deroceras**, 102.
- Derris powder**, Effect of, on free-living stages of Sclerostomes in faeces, 203.
- Desiccation**, Effect of, on colour of cured pork, 29.
- Dew-point hygrometer** for use at low temperatures, 35.

- Diastylis**
edwardsi, 64.
goodsiri, 64.
oxyrhyncha, 64.
rathkii, 62.
spinulosa, 64.
- Dichloropentanes**, Lethal effect of, on Sclerostomes in faeces, 196.
- Diets**, Studies with sheep on deficient, 15.
- Diphtheroid-infected cows**, 232.
- Discus**, 100.
- Ducks at Swan Lake, B.C.**, Food of, 178.
- Edentates in Trinidad**, Parasites of, 249.
- Endoparasitic fauna of Trinidad mammals**.
VI. Parasites of Edentates, 249.
- Erismatura jamaicensis rubida**, See Ruddy Duck.
- Esox**
lucius as host of trematodes, 167.
masquinongy as host of trematodes, 167.
- Ethylenedichloride**, Lethal effect of, on Sclerostomes in faeces, 199.
- Euconulus**, 100.
- Exercise**, Muscular, Blood chemical changes during recovery from exhaustive, 109.
- Fasciola hepatica** Linn., Observations on the bionomics of ova and miracidia of, in Eastern Canada, 205.
- Ferric oxide**, Effect of, on Sclerostomes in faeces, 203.
- Ferrissia**, 98.
- Fish**, Freshwater, Parasites of, 154.
- Fontesia fontesi**, 258.
- Food of ducks and coots at Swan Lake, B.C.**, 178.
- Fulica americana**, See American Coot.
- Gadwell Duck**, Food of, 182.
- Galba ferruginea**, 211.
- Garbage** fed to hogs, Cooked and uncooked, 151.
- Gastropoda**, 91.
- Gastropods** as food of ducks and coots, 184.
- Gigantorhynchus echinodiscus**, 251.
- Graphidlops costalimai**, 256.
- Greater Scaup Duck**, Food of, 182.
- Green-winged Teal**, Food of, 182.
- Gyraulus**, 98.
- Hawaiia**, 100.
- Heligmosominae** sp., 263.
- Helisoma**, 93.
- Hellebore powder**, Effect of, on Sclerostomes in faeces, 203.
- Hogs**, *Trichinella spiralis* in, 151.
- Horses**, Bionomics and control of bursate nematodes of, 68, 187.
- Humidities**, Colour change of meat in air at different relative, 31.
- Humidity**, Measurement of, at low temperatures, 35.
- Hydrogen ion concentration**
in Ross Lake, 220.
Relation between colour of meat and, 3.
Relation between tenderness of meat and, 12.
- Hydroids** of the Western Canadian Arctic region, 1935–1937, 59.
- Hygrometer**
Absorption, 35.
Dew-point, for use at low temperatures, 35.
- Hyperchloremia** in rats after exhaustive muscular exercise, 111.
- Ictalurus punctatus** as host of trematodes, 167.
- Iron supplement**, Effect on sheep of, 22.
- Lacustrine investigations** in the Gaspé peninsula, 212.
- Lampsilis**, 89.
- Lasmigona**, 89.
- Lauroia trinidadensis** sp. nov., 254.
- Leptotarsa decemlineata**, Pathogenicity of *Beauveria Bassiana* on larvae of, 103.
- Leptostylis**
ampullacea, 65.
villosa, 65.
- Leucocytes** in milk, 229.
Breed method of counting, 228.
Sediment method of counting, 228.
- Leucon**
acutirostris, 63.
fulvus, 62.
nasica, 63.
nasicoides, 62.
pallidus, 63.

- Linseed meal supplement**, Effect on sheep of, 22.
- Longistriata**
cristata sp. nov., 260.
urichi sp. nov., 260.
- Lymnaea**, 92.
- Mallard**, Common, Food of, 182.
- Mareca americana**, See Baldpate Duck.
- Mastitis**
B. coli, 238.
Corynebacterium pyogenes, 239.
Staphylococcic, 234.
Streptococcic, 236.
- Meadow nematode**, See Nematode, Meadow.
- Meat**
Colour of
I. Apparatus for its measurement, and relation between pH and colour, 1.
II. Effect of desiccation on the colour of cured pork, 29.
Cured, Determination of nitrite, nitrate, and chloride in, 125.
Tenderness of: I. A recording apparatus for its estimation, and relation between pH and tenderness, 8.
- Meganema** n. gen., found in the Canadian Arctic, 60.
- Meganema claviformis** n. sp., 60.
- Methylene blue** for staining cells in milk, 228.
- Micropterurus dolomieu** as host of trematodes, 167.
- Microscopic methods**, Detection of abnormal cow's milk by, 225.
- Miracidia** of *Fasciola hepatica*, 209.
- Mollusca**, Land and freshwater, from Western Ontario, 87.
- Molluscs**
as food of ducks and coots, 184.
Behaviour of miracidia in presence of, 210.
- Musculium**, 90.
- Myriophyllum spicatum** as food of ducks and coots, 184.
- Naphthalene**, Lethal effect of, on Sclerostomes in faeces, 195.
- Nematode**, Meadow, *Pratylenchus pratensis* (de Man) Filipjev 1936, Biology of the, 39.
- Nematodes of horses and sheep**, Studies on the bionomics and control of the bursate
- VI. On the lethal effects of some nitrogenous chemicals on the free-living stages of Sclerostomes, 68.
- VII. The effect of some substances, used in the control of farm and household pests, on the free-living stages of Sclerostomes, 187.
- Nettion carolinense**, See Green-winged Teal.
- Nicotine sulphate** (40%), Lethal effect of, on Sclerostomes in faeces, 197.
- Nitrate**, Determination of, in cured meat, 132.
curing pickle, 133.
- Nitrate reduction** by bacteria in pickling brine, 54.
- Nitrite**, Determination of, in cured meat, 129.
curing pickle, 132.
- Nitrogen**
Protein and non-protein, in pancreatic juice, 116.
Protein, Relation between absorption spectrum measurements and, 120.
- Nitrogenous chemicals**, Lethal effects of some, on the free-living stages of Sclerostomes, 68.
- Nyroca**
americana, See Redhead Duck.
collaris, See Ring-necked Duck.
marila, See Greater Scaup Duck.
valisinaria, See Canvas-back Duck.
- Oat roots**, Meadow nematode in, 40.
- Oats and alfalfa hay ration**, Effect on sheep of, 24.
- Old-squaw Duck**, Food of, 182.
- Oöchoristica** spp., 251.
- Orthodichlorbenzene**, Lethal effect of, on Sclerostomes in faeces, 191.
- Oxygen**, Dissolved, in Ross Lake, 216.
- Pallifera**, 102.
- Pancreas**
Secretion of crystalloids and protein material by, in response to secretin administration, 113.
Synthesis and secretion of protein material by the, 137.
- Paradichlorbenzene**, Lethal effect of, on Sclerostomes in faeces, 190.

— VII —

- Parasites of**
Edentates in Trinidad, 249.
freshwater fish. I. Internal trematodes of commercial fish in the central St. Lawrence watershed, 154.
- Pelecypoda**, 88.
- Perca flavescens** as host of trematodes, 167.
- Phagocytosis** of organisms in milk, 239.
- Phenoldisulphonic acid** method for determination of nitrate in cured meat and curing pickle, 132.
- Phosphorus supplement**, Effect on sheep of, 21.
- Photoelectric**
colorimeter used in the determination of nitrite and nitrate in cured meat and curing pickle, 128.
colour comparator used to compare meat samples at different pH, 2.
- Phyllostomum**
staffordi, 155.
superbum, 155.
- Physa**, 99.
- Physaloptera** sp., 253.
- Pickle**, Curing, Determination of nitrite, nitrate, and chloride in, 125.
- Pigs**, Worms of *Ascaris lumbricoides* from, 173.
- Pintonetema tamandua** sp. nov., 262.
- Pisidium**, 90.
- Planorbula**, 98.
- Posthodiplostomum minimum**, 164.
- Potamogeton** as food of ducks and coots, 185.
- Potassium** in pancreatic juice, 116.
- Potato beetle larvae**, Pathogenicity of *Beauveria Bassiana* on, 103.
- Pratylenchus pratensis** (de Man) Filipjev 1936, the meadow nematode, Biology of the, 39.
- Protein material**
Secretion of, by the pancreas in response to secretin administration, 113.
Synthesis and secretion of, by the pancreas, 137.
- Ptychogonimus fontanus**, sp. nov., 166.
- Pudica pudica**, 263.
- Pulmonata**, 99.
- Pyrethrum powder**, Effect of, on Sclerostomes in faeces, 203.
- Pyridine**, Effect of, on the free-living stages of Sclerostomes, 75.
- Querquedula**
cyanoptera, See Cinnamon Teal.
discors, See Blue-winged Teal.
- Redhead Duck**, Food of, 182.
- Reproduction of sheep** on deficient rations, 19.
- Retinella**, 100.
- Ring-necked Duck**, Food of, 182.
- Ross Lake**, Description of, 213.
- Ruddy Duck**, Food of, 182.
- Sabinea septemcarinata**, 67.
- Salt**, Effect of, on bacteria contaminating sides for Wiltshire bacon, 51.
- Salt resistance** of bacteria on bacon sides, 52.
- Salt tolerance** of bacteria on bacon sides, 52.
- Saponin**, Effect of, on the free-living stages of Sclerostomes, 85.
- Scirpus occidentalis**, Bulrush, as food of ducks and coots, 181.
- Sclerostomes**
Effect of some substances, used in the control of farm and household pests, on the free-living stages of, 187.
Lethal effects of some nitrogenous chemicals on the free-living stages of, 68.
- Secretin** administration, Composition of pancreatic juice secreted under, 117.
- Sediment method** of counting leucocytes in milk, 228.
- Sheep**
Bionomics and control of bursate nematodes of, 68, 187.
Studies with a deficient ration for, 15.
- Shoveller Duck**, Food of, 182.
- Snails exposed to infestation by *Fasciola hepatica***, 210.
- Sodium in pancreatic juice**, 116.
- Sodium fluoride**, Lethal effect of, on Sclerostomes in faeces, 192.
- Sodium silicofluoride**, Lethal effect of, on Sclerostomes in faeces, 193.
- Spatula clypeata**, See Shoveller Duck.

— VIII —

- Spectroscopic analysis** of pancreatic juice, 115.
- Sphaerium**, 90.
- Spirogyra** as food of ducks and coots, 185.
- Spirontocaris**
 fabricii, 66.
 groenlandica, 66.
 phippsii, 66.
 polaris, 66.
 spina, 66.
- Stagnicola**, 92.
- Staphylococcus aureus** in milk, 235.
- Stichorchis giganteus**, 250.
- Stizostedion vitreum** as host of trematodes, 167.
- Storage**, Effect of, on colour of meat, 31.
- Streptococcus mastitidis** in milk, 238.
- Striatura**, 100.
- Strobilops**, 101.
- Strongyloides** sp., 251.
- Succinea**, 101.
- Sulphanilic acid- α -naphthylamine hydrochloride** method for determination of nitrite in meat extract and curing pickle, 128.
- Swan Lake**, B.C., Description of, 180.
- Tamandua longicaudata**, Parasites of the, 249.
- Tankage supplement**, Effect on sheep of, 22.
- Tatusia novemcincta**, See Armadillo.
- Temperature**
 Effect of, on the colour of meat, 32.
 Lethal, of meadow nematode, 44.
 observations in Ross Lake, 214.
- Tenderness of meat**. I. A recording apparatus for its estimation, and relation between pH and tenderness, 8.
- Thermal death point** of microscopic animal organisms, Apparatus for measuring, 169.
- Thuiaria**
 similis, 59.
 tenera, 59.
- Tobacco dust**, Lethal effect of, on Sclerostomes in faeces, 202.
- Trematodes** of commercial fish in the central St. Lawrence watershed, 154.
- Trichinella spiralis** in hogs, 151.
- Trichinosis** in Canada, Investigations on.
 II. A further survey of the incidence of *Trichinella spiralis* in hogs in Eastern Canada, 151.
- Trichocephalus** sp., 256.
- Trichostrongylidae** sp., 263.
- Trinidad mammals**, Endoparasitic fauna of. VI. Parasites of Edentates, 249.
- Trisodium phosphate**, Lethal effect of, on Sclerostomes in faeces, 200.
- Typha latifolia**, Cat-tail, as food of ducks and coots, 185.
- Udder**, Leucocytic reactions in cow's, 240.
- Valvata**, 91.
- Vertigo**, 101.
- Vietosoma parvum**, 157.
- Vitrina**, 100.
- Wheat bran supplement**, Effect on sheep of, 22.
- Wheat germ meal supplement**, Effect on sheep of, 22.
- Wiltshire bacon**, Bacteria contaminating sides for, 45.
- Zonitoides**, 100.
- Zoogenites**, 101.

Errata

Page 17, footnote 1, add "Manuscript received October 7, 1938."

Page 211, third line, for "*Gyraulus*" read "*Galba*."

